

DUPLI-COLOR TERRACOTTA LOOK

Technical Information



Quick-drying special lacquer with strikingly similar surface structure. Terracotta style for chairs, benches, shelves, bowls etc. For all kinds of surfaces. Suitable for inside and outside use.

Ord.-no: 706981, 743658, 743665, 743634, 743641

Quality & properties

High-grade nitro-combi quality with special, rough texture
 Excellent adhesion and coverage
 Good flow
 Quick-drying
 Suitable for painting and repair of indoors and outdoors objects
 Weather-resistant
 Excellent colour retention: (light-proof, UV-resistant)
 Excellently re-coatable

Physical & chemical data

Base: Nitrocombi resin
 Colourname:
 ◦ manganese brown
 ◦ velvet blue
 ◦ orient red
 ◦ sehara yellow
 Degree of gloss: mat GU
 Efficiency:
 ◦ 400 ML – 0.8 - 1.2 m²
 ◦ 150 ML – 0.3 - 0.5 m²
 Dry to touch: 50 min
 Dust dry: 10 min
 Completely dry: 3 h
 Surfaces: metal, wood, glass, stone, ceramics, carton and many coatable hard plastics
 Minimum Working Temperature: 10 °C
 Maximum Working Temperature: 25 °C
 Flash point: n.a.
 Storage stability: 10 y
 Content:
 ◦ 400 ML
 ◦ 150 ML

How to use

Clean underground from dirt and fat. Derust metals.

On plastic parts always use DUPLI-COLOR Plastic Primer; on other surfaces use DUPLI-COLOR Primer or Universal Primer.

Fill and sand uneven surfaces. Let dry.

The surface has to be clean, dry and free from fat.

Mask off areas not to be painted.

Before use, shake the can vigorously for 3 minutes.

Spray several thin coats in 3 - 5 minute intervals.

Spray from a distance of approx. 25 cm.

Terracotta Effect can be re-coated with any DUPLI-COLOR spray paint. Depending on thickness of the applied coat, the intensity of the achieved structure can degrease.

Do not spray over synthetic paints!

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 21, 2025 – This release replaces all eventually earlier issued versions.