

## DUPLI-COLOR PLATINUM

## Technical Information



With this spray paint, which offers an extremely high coverage and quick drying, DUPLI-COLOR is setting new standards. Due to wide spectrum of possible applications, this products offers a variety of new opportunities for design and handicraft works.

Our premium spray paint range DUPLI-COLOR platinum comprises more than 40 satin matt and 10 high gloss shades for indoors and outdoors applications. These lacquers are excellently suitable for all DIY and handicraft works on wood, coatable hard plastics, wallpapers, canvas, metal or glass.

Test our Sprayhead Set platinum (art.no. 723087). With the use of different sprayheads you can vary with the spray distance and the spray width from very fine to wide for big areas.

**Ord.-no:** 721007, 721014, 721021, 721038, 721083, 721090, 721106, 306846, 306839, 306822, 306815, 249112, 249105, 249099, 248955, 248948, 203459, 203442, 203435, 203428, 203411, 203404, 203398, 203381, 203374, 203268, 720994, 720987, 720970, 720956, 720949, 720864, 720642, 720345, 720291, 720239, 720222, 720192, 720178, 720161, 720154, 720147, 720130, 720123, 720116, 719929, 719875, 719868, 719851, 719844, 719837, 719820, 719813, 719806, 719790, 719783, 719714, 719691, 719684, 719653, 719646, 719547, 719493, 719486, 719479, 719462, 719455, 719431, 719363, 135439, 249006, 248993, 248986, 248979, 248962, 203367, 203350, 203343, 203336, 203329, 203312, 203305, 203299, 203282, 203275, 196652, 196645, 196638, 196621, 196614, 196607, 101451, 101453, 101454, 101455, 101456, 101457, 101458, 101459, 101460, 101461, 101462, 101463, 101464, 101465, 101466, 101468

### Quality & properties

Extremely quick-drying, high-grade special lacquer  
Extraordinary good coverage and high efficiency:  
depending on colour up to double as efficient as a  
conventional spray paint  
A well-balanced pressure-system allows the use of  
other, replaceable sprayheads, which are available  
as separate set packagings  
Light-fast, non-yellowing  
Nealy no spray mist

### Physical & chemical data

Base: Special combi resin

Colourname:

- traffic purple
- traffic blue
- leaf green
- chocolate brown
- pure white
- light grey
- deep black
- traffic red
- traffic yellow
- blue lilac
- blackberry
- telemagenta
- sky blue
- white aluminium
- creme white
- anthracite grey
- silver grey
- moss green
- gentian blue
- ice blue
- traffic orange
- pastel green
- lavender
- terracotta
- ice green
- lilac
- ivory
- papaya
- purple red
- light ivory
- peach
- ruby red

- pineapple
- sapphire blue
- pastel orange
- melon yellow
- yellow green
- baby blue
- light pink
- spring green
- sulfur yellow
- grey aluminium
- jade green
- petrol
- mandarin
- cherry
- royal blue
- lemon
- dove blue
- twilight blue
- forgetmenot blue
- evergreen
- aloe green
- mistletoe green
- pebbles grey
- shy grey
- ash grey
- mud grey
- smoky grey
- gentle grey
- earth brown
- deer brown
- sweet brown
- whisper brown

Degree of gloss:

- gloss GU
- satin mat GU

Efficiency:

- 400 ML – 2.1 m<sup>2</sup>
- 150 ML – 0.5 - 0.8 m<sup>2</sup>

Dry to touch: 10 min

Dust dry: 2 min

Completely dry: 30 min

Overcoatable: 30 min

Surfaces: wood, coatable hard plastics, wallpapers, canvas, metal or glass

Minimum Working Temperature: 10 °C

Maximum Working Temperature: 25 °C

Flash point: n.a.

Temperature Resistance: 80 °C

Storage stability: 10 y

Content:

- 400 ML
- 150 ML

### How to use

The surface has to be clean, dry and free from fat.

Remove residues of old paintings and rust, then sand and prime if necessary. Let dry for 1 - 2 hours.

Use Pastic Primer on plastic parts.

Cover areas not to be painted.

Before use, shake the can for 3 minutes.

Test spray at an invisible spot to check colour-matching and compatibility of the lacquer.

Spray from a distance of approx. 25 cm several thin coats.

Do not spray over synthetic paints.

**Environmentally sound**

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

**Disposal**

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

**Marking/Labelling**

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 21, 2025** – This release replaces all eventually earlier issued versions.