

DUPLI-COLOR TUNING SILVER CHROME**Technical Information**

High-glossy effect spray that gives a look similar to chrome to smooth surfaces. Suitable for all smooth surfaces, especially for designing rims, wheel trims, coatable plastic parts if appropriately primed.

Ord.-no: 674570, 665493, 674761

Quality & properties

High-grade quality lacquer with a special combination of resins
Very good coverage
Excellent adhesion
Good flow
Quick-drying
Resistant to abrasion
Weather-resistant, light-proof, UV-resistant
Scratch-, shock- and impact-resistant
Temperature-resistant up to 150°C
Coatable

Physical & chemical data

Base:
◦ Special combi resin
◦ Special combination
Colourname: chrome
Degree of gloss:
◦ gloss
◦ gloss GU
Efficiency: 150 ML – 1.5 m²
Dry to touch: 1 h
Dust dry: 15 min
Completely dry: 12 h
Surfaces: metal, wood, glass, coatable hard plastics, stone
Minimum Working Temperature:
◦ 10
◦ 10 °C
Maximum Working Temperature:
◦ 25
◦ 25 °C
Flash point:
◦ unbekannt
◦ n.a.
Storage stability: 10 y
Content:
◦ 150 ML
◦ 400 ML

How to use

The ground has to be clean, dry and free from fat.

Cover areas not to be painted.

Before use, shake can for 3 minutes.

Test spray at an invisible spot.

Spray from a distance of 25 cm several thin coats.

Between the layers let lift off for 5 minutes, then apply the next layer. Repeat this till the desired effect is achieved.

Remark: In order to achieve the effect, a very smooth surface is necessary. Uneven surfaces should be filled, sanded and primed with a black primer, in order to grant an optimal result.

If a primer, e.g. DUPLI-COLOR Effect Primer black is used, this has to dry for at least one hour, before the application of the effect top coat.

A black ground is the basis and condition for an excellent Silver Chrome Effect, e.g. by priming with TUNING EFFECT PRIMER black.

Prime coatable plastics generally with Plastic Primer, e.g. DUPLI-COLOR PLASTIC PRIMER.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 7, 2025 – This release replaces all eventually earlier issued versions.